



*Since 1996*

**PASA ARMS**

Product Katalog



# ALWAYS FOR THE BETTER

Our firm, PAŞA ARMS, was established in 1996 in Huğlu, Beyşehir, Konya, Turkey and has manufactured parts for firearms makers in the region and helped them grow their import.

By manufacturing the required parts of national and international rifle makers, Paşa Arms enabled most of them to become world-famous companies. By integrating the highest technology and methods into its production line, our company still manufactures any kind of semi-finishing parts for various companies in the region and all across the world.

After 16 years of experience in manufacture, Paşa Arms created its own brand in 2012 by renewing its technology and employing experts. ASİ and PAŞAARMS have been two leading brands in firearms industry.

For the last ten years, Paşa Arms has exported products to many countries, mainly to the USA. Thus, our company provides a great deal income for our country and offers employment for many people in the region.





# SEMI AUTO






HALF RECEIVER INERTIA

MASSIVE



|                                                                      |                     |                          |                             |                       |                        |
|----------------------------------------------------------------------|---------------------|--------------------------|-----------------------------|-----------------------|------------------------|
| Caliber:                                                             | System:             | Capacity:                | Chokes:                     | Weight:               | Receiver:              |
| 12 GA                                                                | Rotary Head Kinetic | 2+1 , 4+1                | F*,IM**,M***,IC****, C***** | 3,0 - 3,3 KG          | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                                      | Mechanism Parts:    | Barrel Length:           | Barrel:                     | Barrel Cover:         | Fore Sight:            |
| Upper Receiver: Black Anodizing<br>Under Receiver: Anodizing Coating | AISI 4140 Steel     | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel      | Matt and Black Chrome | Brass or Fiber Optics  |
| Top Rib:                                                             | Stock:              | Chamber:                 | Total Length:               |                       |                        |
| 7 MM - 8 MM Silver Welded                                            | Walnut              | 76 MM / 3"               | 126 CM ( 71 CM Barrel)      |                       |                        |





|                                  |                     |                          |                                |                         |                        |
|----------------------------------|---------------------|--------------------------|--------------------------------|-------------------------|------------------------|
| Caliber:                         | System:             | Capacity:                | Chokes:                        | Weight:                 | Receiver:              |
| 12 GA                            | Rotary Head Kinetic | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG            | 7075-T6 Aluminum Alloy |
| Receiver Cover:                  | Mechanism Parts:    | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:            |
| Aluminum Alloy / Black Anodizing | AISI 4140 Steel     | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Brass or Fiber Optics  |
| Top Rib:                         | Stock:              | Chamber:                 | Total Length:                  |                         |                        |
| 7 MM - 8 MM Silver Welded        | Walnut              | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                         |                        |





|                                                                         |                                                          |                          |                                |                                                                |                        |
|-------------------------------------------------------------------------|----------------------------------------------------------|--------------------------|--------------------------------|----------------------------------------------------------------|------------------------|
| Caliber:                                                                | System:                                                  | Capacity:                | Chokes:                        | Weight:                                                        | Receiver:              |
| 12 GA                                                                   | Rotary Head Kinetic                                      | 2+1 , 4+1, 7+1           | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                                                   | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                                         | Mechanism Parts:                                         | Barrel Length:           | Barrel:                        | Barrel Cover:                                                  | Fore Sight:            |
| Aluminum Alloy / Realtree MAX-5<br>Camouflage Coating / Black Anodizing | AISI 4140 Steel                                          | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome / Realtree<br>MAX-5 Camouflage Coating | Brass or Fiber Optics  |
| Top Rib:                                                                | Stock:                                                   | Chamber:                 | Total Length:                  |                                                                |                        |
| 7 MM - 8 MM Silver<br>Welded                                            | Composite Plastic / Realtree<br>MAX-5 Camouflage Coating | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                                                                |                        |





INERTIA SYSTEM  
RENTIA 02



|                                                  |                                                          |                          |                                |                                       |                        |
|--------------------------------------------------|----------------------------------------------------------|--------------------------|--------------------------------|---------------------------------------|------------------------|
| Caliber:                                         | System:                                                  | Capacity:                | Chokes:                        | Weight:                               | Receiver:              |
| 12 GA                                            | Rotary Head Kinetic                                      | 2+1 , 4+1, 7+1           | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                          | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                  | Mechanism Parts:                                         | Barrel Length:           | Barrel:                        | Barrel Cover:                         | Fore Sight:            |
| Aluminum Alloy / Green-Grey<br>Anodizing Coating | AISI 4140 Steel                                          | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Green Coating / Gray<br>Light Coating | Brass or Fiber Optics  |
| Top Rib:                                         | Stock:                                                   | Chamber:                 | Total Length:                  |                                       |                        |
| 7 MM - 8 MM Silver<br>Welded                     | Composite Plastic / Realtree<br>MAX-5 Camouflage Coating | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                                       |                        |





|                                                              |                                                                               |                          |                                |                                                  |                        |
|--------------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------|--------------------------------|--------------------------------------------------|------------------------|
| <b>Caliber:</b>                                              | <b>System:</b>                                                                | <b>Capacity:</b>         | <b>Chokes:</b>                 | <b>Weight:</b>                                   | <b>Receiver:</b>       |
| 12 GA                                                        | Rotary Head Kinetic                                                           | 2+1 , 4+1, 7+1           | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                                     | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                       | <b>Mechanism Parts:</b>                                                       | <b>Barrel Length:</b>    | <b>Barrel:</b>                 | <b>Barrel Cover:</b>                             | <b>Fore Sight:</b>     |
| Aluminum Alloy / Bronze Anodizing /<br>Flat Dark Earth (FDE) | AISI 4140 Steel                                                               | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Bronze Coating/ Flat Dark<br>Earth (FDE) Coating | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                              | <b>Stock:</b>                                                                 | <b>Chamber:</b>          | <b>Total Length:</b>           |                                                  |                        |
| 7 MM - 8 MM Silver<br>Welded                                 | Composite Plastic / Realtree MAX-5<br>Camouflage / Realtree Timber Camouflage | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                                                  |                        |





|                                                                   |                                                          |                          |                                |                                                 |                        |
|-------------------------------------------------------------------|----------------------------------------------------------|--------------------------|--------------------------------|-------------------------------------------------|------------------------|
| <b>Caliber:</b>                                                   | <b>System:</b>                                           | <b>Capacity:</b>         | <b>Chokes:</b>                 | <b>Weight:</b>                                  | <b>Receiver:</b>       |
| 12 GA                                                             | Rotary Head Kinetic                                      | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                                    | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                            | <b>Mechanism Parts:</b>                                  | <b>Barrel Length:</b>    | <b>Barrel:</b>                 | <b>Barrel Cover:</b>                            | <b>Fore Sight:</b>     |
| Aluminum Alloy / Bronze Anodizing /<br>Realtree Timber Camouflage | AISI 4140 Steel                                          | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Bronze Anodizing /Realtree<br>Timber Camouflage | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                                   | <b>Stock:</b>                                            | <b>Chamber:</b>          | <b>Total Length:</b>           |                                                 |                        |
| 7 MM - 8 MM Silver<br>Welded                                      | Composite Plastic / Realtree<br>MAX-5 Camouflage Coating | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                                                 |                        |



GAS SYSTEM  
IMPULSE 01



|                                  |                   |                          |                               |                               |                        |
|----------------------------------|-------------------|--------------------------|-------------------------------|-------------------------------|------------------------|
| Caliber:                         | System:           | Capacity:                | Chokes:                       | Weight:                       | Receiver:              |
| 12 GA / 20 GA                    | Gas System        | 2+1, 4+1 , 7+1           | F*,IM**,M***,IC****,<br>C**** | 3,0 - 3,3 KG                  | 7075-T6 Aluminum Alloy |
| Receiver Cover:                  | Mechanism Parts:  | Barrel Length:           | Barrel:                       | Barrel Cover:                 | Fore Sight:            |
| Aluminum Alloy / Black Anodizing | AISI 4140 Steel   | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel        | Matte or Black Chrome Coating | Brass or Fiber Optics  |
| Top Rib:                         | Stock:            | Chamber:                 | Total Length:                 |                               |                        |
| 7 MM - 8 MM Silver Welded        | Composite Plastic | 76 MM / 3"               | 121 CM ( 66 CM Barrel)        |                               |                        |





GAS SYSTEM  
IMPULSE 03



|                                      |                   |                          |                                |                               |                        |
|--------------------------------------|-------------------|--------------------------|--------------------------------|-------------------------------|------------------------|
| Caliber:                             | System:           | Capacity:                | Chokes:                        | Weight:                       | Receiver:              |
| 12 GA / 20 GA                        | Gas System        | 2+1 , 4+1, 7+1           | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                  | 7075-T6 Aluminum Alloy |
| Receiver Cover:                      | Mechanism Parts:  | Barrel Length:           | Barrel:                        | Barrel Cover:                 | Fore Sight:            |
| Aluminum Alloy / Bronze<br>Anodizing | AISI 4140 Steel   | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Matte or Black Chrome Coating | Brass or Fiber Optics  |
| Top Rib:                             | Stock:            | Chamber:                 | Total Length:                  |                               |                        |
| 7 MM - 8 MM Silver<br>Welded         | Composite Plastic | 76 MM / 3"               | 99 CM ( 47 CM Barrel)          |                               |                        |





|                                              |                            |                                         |                        |                                              |                        |
|----------------------------------------------|----------------------------|-----------------------------------------|------------------------|----------------------------------------------|------------------------|
| <b>Caliber:</b>                              | <b>System:</b>             | <b>Capacity:</b>                        | <b>Chokes:</b>         | <b>Weight:</b>                               | <b>Receiver:</b>       |
| 12 GA / 20 GA                                | Gas System                 | 2+1 , 4+1                               | F*,M***,C*****         | 3,0 - 3,2 KG                                 | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                       | <b>Mechanism Parts:</b>    | <b>Barrel Length:</b>                   | <b>Barrel:</b>         | <b>Barrel Cover:</b>                         | <b>Fore Sight:</b>     |
| Aluminum Alloy / Gray Light / Nickel Coating | AISI 4140 Steel            | 47 CM,51 CM ,61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Gray Light Coating / Glossy and Matte Chrome | Brass or Fiber Optics  |
| <b>Top Rib:</b>                              | <b>Stock:</b>              | <b>Chamber:</b>                         | <b>Total Length:</b>   |                                              |                        |
| 7 MM - 8 MM Silver Welded                    | Composite Plastic / Walnut | 76 MM / 3"                              | 99 CM ( 47 CM Barrel)  |                                              |                        |





|                                                              |                                                           |                          |                        |                                                        |                        |
|--------------------------------------------------------------|-----------------------------------------------------------|--------------------------|------------------------|--------------------------------------------------------|------------------------|
| <b>Caliber:</b>                                              | <b>System:</b>                                            | <b>Capacity:</b>         | <b>Chokes:</b>         | <b>Weight:</b>                                         | <b>Receiver:</b>       |
| 12 GA / 20 GA                                                | Gas System                                                | 2+1 , 4+1                | F*,M***,C*****         | 3,0 - 3,2 KG                                           | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                       | <b>Mechanism Parts:</b>                                   | <b>Barrel Length:</b>    | <b>Barrel:</b>         | <b>Barrel Cover:</b>                                   | <b>Fore Sight:</b>     |
| Aluminum Alloy / Black Anodized<br>Realtree MAX-5 Camouflage | AISI 4140 Steel                                           | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel | Glossy and Matte Chrome /<br>Realtree MAX-5 Camouflage | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                              | <b>Stock:</b>                                             | <b>Chamber:</b>          | <b>Total Length:</b>   |                                                        |                        |
| 7 MM - 8 MM Silver<br>Welded                                 | Walnut / Composite Plastic /<br>Realtree MAX-5 Camouflage | 76 MM / 3"               | 99 CM ( 47 CM Barrel)  |                                                        |                        |





|                                                                             |                                                        |                                         |                        |                                                            |                        |
|-----------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------|------------------------|------------------------------------------------------------|------------------------|
| <b>Caliber:</b>                                                             | <b>System:</b>                                         | <b>Capacity:</b>                        | <b>Chokes:</b>         | <b>Weight:</b>                                             | <b>Receiver:</b>       |
| 12 GA / 20 GA                                                               | Gas System                                             | 2+1 , 4+1                               | F*,M***,C*****         | 3,0 - 3,3 KG                                               | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                                      | <b>Mechanism Parts:</b>                                | <b>Barrel Length:</b>                   | <b>Barrel:</b>         | <b>Barrel Cover:</b>                                       | <b>Fore Sight:</b>     |
| Aluminum Alloy / Flat Dark Earth (FDE) Coating / Realtree Timber Camouflage | AISI 4140 Steel                                        | 47 CM,51 CM ,61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Flat Dark Earth (FDE) Coating / Realtree Timber Camouflage | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                                             | <b>Stock:</b>                                          | <b>Chamber:</b>                         | <b>Total Length:</b>   |                                                            |                        |
| 7 MM - 8 MM Silver Welded                                                   | Composite Plastic / Realtree Timber Camouflage Coating | 76 MM / 3"                              | 99 CM ( 47 CM Barrel)  |                                                            |                        |





|                                               |                                                      |                                           |                        |                               |                        |
|-----------------------------------------------|------------------------------------------------------|-------------------------------------------|------------------------|-------------------------------|------------------------|
| <b>Caliber:</b>                               | <b>System:</b>                                       | <b>Capacity:</b>                          | <b>Chokes:</b>         | <b>Weight:</b>                | <b>Receiver:</b>       |
| 12 GA / 20 GA                                 | Gas System                                           | 2+1 , 4+1                                 | F*,M***,C*****         | 3,0 - 3,2 KG                  | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                        | <b>Mechanism Parts:</b>                              | <b>Barrel Length:</b>                     | <b>Barrel:</b>         | <b>Barrel Cover:</b>          | <b>Fore Sight:</b>     |
| Aluminum Alloy /Flat Dark Earth (FDE) Coating | AISI 4140 Steel                                      | 47 CM,51 CM ,61 CM, 66 CM<br>71 CM, 76 CM | AISI 4140 Carbon Steel | Flat Dark Earth (FDE) Coating | Brass or Fiber Optics  |
| <b>Top Rib:</b>                               | <b>Stock:</b>                                        | <b>Chamber:</b>                           | <b>Total Length:</b>   |                               |                        |
| 7 MM - 8 MM Silver Welded                     | Composite Plastic; Realtree MAX-5 Camouflage Coating | 76 MM / 3"                                | 99 CM ( 47 CM Barrel)  |                               |                        |




# ROTARY HEAD





# ROTARY HEAD PUMP-ACTION



|                                              |                                |                            |                        |                      |                        |
|----------------------------------------------|--------------------------------|----------------------------|------------------------|----------------------|------------------------|
| <b>Caliber:</b>                              | <b>System:</b>                 | <b>Capacity:</b>           | <b>Chokes:</b>         | <b>Weight:</b>       | <b>Receiver:</b>       |
| 12 GA                                        | Rotary Head Pump Action System | 2+1, 4+1, 7+1              | F*, M***, C*****       | 3,0 - 3,3 KG         | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                       | <b>Mechanism Parts:</b>        | <b>Barrel Length:</b>      | <b>Barrel:</b>         | <b>Barrel Cover:</b> | <b>Fore Sight:</b>     |
| Aluminum Alloy / Gray Light Anodized Coating | AISI 4140 Steel                | 61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Gray Light Coating   | Brass or Fiber Optics  |
| <b>Top Rib:</b>                              | <b>Stock:</b>                  | <b>Chamber:</b>            | <b>Total Length:</b>   |                      |                        |
| 7 MM - 8 MM Silver Welded                    | Composite Plastic              | 76 MM / 3"                 | 115 CM (61 CM Barrel)  |                      |                        |



# DUAL ACTION



 *Since 1996*  
**PASA ARMS**





|                                 |                                   |                            |                          |                        |                        |
|---------------------------------|-----------------------------------|----------------------------|--------------------------|------------------------|------------------------|
| <b>Caliber:</b>                 | <b>System:</b>                    | <b>Capacity:</b>           | <b>Chokes:</b>           | <b>Weight:</b>         | <b>Receiver:</b>       |
| 12 GA                           | Rotary Head Kinetic - Pump Action | 2+1, 4+1, 7+1              | F*, IM**, M**, IC**, C** | 3,0 - 3,3 KG           | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>          | <b>Mechanism Parts:</b>           | <b>Barrel Length:</b>      | <b>Barrel:</b>           | <b>Barrel Cover:</b>   | <b>Fore Sight:</b>     |
| Aluminum Alloy / Black Anodized | AISI 4140 Steel                   | 61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel   | Matte and Black Chrome | Brass or Fiber Optics  |
| <b>Top Rib:</b>                 | <b>Stock:</b>                     | <b>Chamber:</b>            | <b>Total Length:</b>     |                        |                        |
| 7 MM - 8 MM Silver Welded       | Composite Plastic                 | 76 MM / 3"                 | 105 CM (51 CM Barrel)    |                        |                        |





|                                 |                                   |                            |                                |                        |                        |
|---------------------------------|-----------------------------------|----------------------------|--------------------------------|------------------------|------------------------|
| Caliber:                        | System:                           | Capacity:                  | Chokes:                        | Weight:                | Receiver:              |
| 12 GA                           | Rotary Head Kinetic - Pump Action | 2+1, 4+1 , 7+1             | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG           | 7075-T6 Aluminum Alloy |
| Receiver Cover:                 | Mechanism Parts:                  | Barrel Length:             | Barrel:                        | Barrel Cover:          | Fore Sight:            |
| Aluminum Alloy / Black Anodized | AISI 4140 Steel                   | 61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel         | Matte and Black Chrome | Brass or Fiber Optics  |
| Top Rib:                        | Stock:                            | Chamber:                   | Total Length:                  |                        |                        |
| 7 MM - 8 MM Silver Welded       | Composite Plastic                 | 76 MM / 3"                 | 105 CM (51 CM Barrel)          |                        |                        |




TACTICAL



 *Since 1996*  
**PASA ARMS**



TACTICAL  
PM4 Black



|                                              |                         |                                  |                        |                           |                                     |
|----------------------------------------------|-------------------------|----------------------------------|------------------------|---------------------------|-------------------------------------|
| <b>Caliber:</b>                              | <b>System:</b>          | <b>Capacity:</b>                 | <b>Chokes:</b>         | <b>Weight:</b>            | <b>Receiver:</b>                    |
| 12 GA                                        | Gas System              | 2+1, 5+1, 6+1                    | F*, M***, C*****       | 3,8 - 4,0 KG              | 7075-T6 Aluminum Alloy              |
| <b>Receiver Cover:</b>                       | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>            | <b>Barrel:</b>         | <b>Barrel Cover:</b>      | <b>Fore Sight:</b>                  |
| Aluminum Alloy / Anodized Coating            | AISI 4140 Steel         | 47 CM, 51CM, 61 CM, 66 CM, 71 CM | AISI 4140 Carbon Steel | Matte Glossy Black Chrome | Telescopic Hindsight and Fore Sight |
| <b>Stock:</b>                                | <b>Chamber:</b>         | <b>Total Length:</b>             |                        |                           |                                     |
| Composite Plastic; Telescopic or Fixed Stock | 76 MM / 3"              | 102 CM (47 CM Barrel)            |                        |                           |                                     |





|                                              |                  |                                  |                        |                           |                                     |
|----------------------------------------------|------------------|----------------------------------|------------------------|---------------------------|-------------------------------------|
| Caliber:                                     | System:          | Capacity:                        | Chokes:                | Weight:                   | Receiver:                           |
| 12 GA                                        | Gas System       | 2+1, 5+1, 6+1                    | F*, M***, C*****       | 3,8 - 4,0 KG              | 7075-T6 Aluminum Alloy              |
| Receiver Cover:                              | Mechanism Parts: | Barrel Length:                   | Barrel:                | Barrel Cover:             | Fore Sight:                         |
| Aluminum Alloy / Anodized Coating            | AISI 4140 Steel  | 47 CM, 51CM, 61 CM, 66 CM, 71 CM | AISI 4140 Carbon Steel | Matte Glossy Black Chrome | Telescopic Hindsight and Fore Sight |
| Stock:                                       | Chamber:         | Total Length:                    |                        |                           |                                     |
| Composite Plastic; Telescopic or Fixed Stock | 76 MM / 3"       | 102 CM (47 CM Barrel)            |                        |                           |                                     |



TACTICAL

PM4 FDE (FLAT DARK EARTH)



TACTICAL

PM4 GREEN



|                                                 |                  |                                     |                        |                           |                                        |
|-------------------------------------------------|------------------|-------------------------------------|------------------------|---------------------------|----------------------------------------|
| Caliber:                                        | System:          | Capacity:                           | Chokes:                | Weight:                   | Receiver:                              |
| 12 GA                                           | Gas System       | 2+1, 5+1, 6+1                       | F*, M***, C*****       | 3,8 - 4,0 KG              | 7075-T6 Aluminum Alloy                 |
| Receiver Cover:                                 | Mechanism Parts: | Barrel Length:                      | Barrel:                | Barrel Cover:             | Fore Sight:                            |
| Aluminum Alloy / Anodized Coating               | AISI 4140 Steel  | 47 CM, 51CM, 61 CM,<br>66 CM, 71 CM | AISI 4140 Carbon Steel | Matte Glossy Black Chrome | Telescopic Hindsight and<br>Fore Sight |
| Stock:                                          | Chamber:         | Total Length:                       |                        |                           |                                        |
| Composite Plastic;<br>Telescopic or Fixed Stock | 76 MM / 3"       | 102 CM (47 CM Barrel)               |                        |                           |                                        |





|                                                          |                         |                                              |                                |                                         |                        |
|----------------------------------------------------------|-------------------------|----------------------------------------------|--------------------------------|-----------------------------------------|------------------------|
| <b>Caliber:</b>                                          | <b>System:</b>          | <b>Capacity:</b>                             | <b>Chokes:</b>                 | <b>Weight:</b>                          | <b>Receiver:</b>       |
| 12 GA / 20 GA                                            | Pump Action             | 2+1, 4+1, 7+1                                | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG                            | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                   | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>                        | <b>Barrel:</b>                 | <b>Barrel Cover:</b>                    | <b>Fore Sight:</b>     |
| Aluminum Alloy / Green Anodized Coating / Nickel Coating | AISI 4140 Steel         | 36 CM / 47 CM, 51 CM, 61 CM, 66 CM           | AISI 4140 Carbon Steel         | Matte and Black Chrome / Nickel Coating | Brass or Fiber Optics  |
| <b>Stock:</b>                                            | <b>Chamber:</b>         | <b>Total Length:</b>                         |                                |                                         |                        |
| Composite Plastic; Telescopic or Fixed Stock             | 76 MM / 3"              | 67 CM (36 CM Barrel) / 106 CM (51 CM Barrel) |                                |                                         |                        |





|                                 |                         |                                              |                                |                                                 |                        |
|---------------------------------|-------------------------|----------------------------------------------|--------------------------------|-------------------------------------------------|------------------------|
| <b>Caliber:</b>                 | <b>System:</b>          | <b>Capacity:</b>                             | <b>Chokes:</b>                 | <b>Weight:</b>                                  | <b>Receiver:</b>       |
| 12 GA / 20 GA                   | Gas System              | 2+1, 4+1, 7+1                                | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG                                    | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>          | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>                        | <b>Barrel:</b>                 | <b>Barrel Cover:</b>                            | <b>Fore Sight:</b>     |
| Aluminum Alloy / Black Anodized | AISI 4140 Steel         | 36 CM / 61 CM, 66 CM, 71 CM, 76 CM           | AISI 4140 Carbon Steel         | Glossy and Matte Chrome / Matte or Black Chrome | Brass or Fiber Optics  |
| <b>Stock:</b>                   | <b>Chamber:</b>         | <b>Total Length:</b>                         |                                |                                                 |                        |
| Composite Plastic               | 76 MM / 3"              | 67 CM (36 CM Barrel) / 121 CM (66 CM Barrel) |                                |                                                 |                        |





TACTICAL  
IMPULSE-T 04



|                                       |                  |                          |                                |                              |                        |
|---------------------------------------|------------------|--------------------------|--------------------------------|------------------------------|------------------------|
| Caliber:                              | System:          | Capacity:                | Chokes:                        | Weight:                      | Receiver:              |
| 12 GA / 20 GA                         | Gas System       | 2+1, 4+1, 7+1            | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG                 | 7075-T6 Aluminum Alloy |
| Receiver Cover:                       | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:                | Fore Sight:            |
| Aluminum Alloy / Black Chrome and FDE | AISI 4140 Steel  | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Black Chrome and FDE Coating | Brass or Fiber Optics  |
| Stock:                                | Chamber:         | Total Length:            | Sheet Metal Cooler:            |                              |                        |
| Composite Plastic                     | 76 MM / 3"       | 106 CM (51 CM Barrel)    | Along The Barrel               |                              |                        |




# PUMP ACTION



 *Since 1996*  
**PASA ARMS**



PUMP ACTION  
NATON-S 01



|                                 |                   |                          |                               |                |                        |
|---------------------------------|-------------------|--------------------------|-------------------------------|----------------|------------------------|
| Caliber:                        | System:           | Capacity:                | Chokes:                       | Weight:        | Receiver:              |
| 12 GA / 20 GA                   | Pump Action       | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C**** | 3,0 - 3,3 KG   | 7075-T6 Aluminum Alloy |
| Receiver Cover:                 | Mechanism Parts:  | Barrel Length:           | Barrel:                       | Barrel Cover:  | Fore Sight:            |
| Aluminum Alloy / Nickel Coating | AISI 4140 Steel   | 47 CM,51 CM ,61 CM,66 CM | AISI 4140 Carbon Steel        | Nickel Coating | Brass or Fiber Optics  |
| Top Rib:                        | Stock:            | Chamber:                 | Total Length:                 |                |                        |
| 7 MM - 8 MM Silver Welded       | Composite Plastic | 76 MM / 3"               | 106 CM (51 CM Barrel)         |                |                        |





|                                                         |                         |                            |                                                      |                                     |                        |
|---------------------------------------------------------|-------------------------|----------------------------|------------------------------------------------------|-------------------------------------|------------------------|
| <b>Caliber:</b>                                         | <b>System:</b>          | <b>Capacity:</b>           | <b>Chokes:</b>                                       | <b>Weight:</b>                      | <b>Receiver:</b>       |
| 12 GA / 20 GA                                           | Pump Action             | 2+1, 4+1, 7+1 / 4+1, 7+1   | F*, IM**, M***, IC****, C*****<br>/ F*, M***, C***** | 3,0 - 3,3 KG / 3,0 - 3,2 KG         | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                  | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>      | <b>Barrel:</b>                                       | <b>Barrel Cover:</b>                | <b>Fore Sight:</b>     |
| Aluminum Alloy / Nickel Coating<br>/ Gray Light Coating | AISI 4140 Steel         | 47 CM, 51 CM, 61 CM, 66 CM | AISI 4140 Carbon Steel                               | Nickel Coating / Gray Light Coating | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                         | <b>Stock:</b>           | <b>Chamber:</b>            | <b>Total Length:</b>                                 |                                     |                        |
| 7 MM - 8 MM Silver<br>Welded                            | Composite Plastic       | 76 MM / 3"                 | 106 CM (51 CM Barrel) /<br>103 CM (51 CM Barrel)     |                                     |                        |





PUMP ACTION  
NATON-S 05



|                                 |                   |                          |                                |                |                        |
|---------------------------------|-------------------|--------------------------|--------------------------------|----------------|------------------------|
| Caliber:                        | System:           | Capacity:                | Chokes:                        | Weight:        | Receiver:              |
| 12 GA / 20 GA                   | Pump Action       | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG   | 7075-T6 Aluminum Alloy |
| Receiver Cover:                 | Mechanism Parts:  | Barrel Length:           | Barrel:                        | Barrel Cover:  | Fore Sight:            |
| Aluminum Alloy / Nickel Coating | AISI 4140 Steel   | 47 CM,51 CM ,61 CM,66 CM | AISI 4140 Carbon Steel         | Nickel Coating | Brass or Fiber Optics  |
| Top Rib:                        | Stock:            | Chamber:                 | Total Length:                  |                |                        |
| 7 MM - 8 MM Silver Welded       | Composite Plastic | 76 MM / 3"               | 106 CM (51 CM Barrel)          |                |                        |





|                                                  |                  |                                  |                        |                         |                        |
|--------------------------------------------------|------------------|----------------------------------|------------------------|-------------------------|------------------------|
| Caliber:                                         | System:          | Capacity:                        | Chokes:                | Weight:                 | Receiver:              |
| 12 GA / 20 GA                                    | Pump Action      | 4+1, 7+1                         | F*, M***, C*****       | 3,0 - 3,2 KG            | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                  | Mechanism Parts: | Barrel Length:                   | Barrel:                | Barrel Cover:           | Fore Sight:            |
| Nickel Coating / Aluminum Alloy / Black Anodized | AISI 4140 Steel  | 51 CM ,61 CM,66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Glossy and Matte Chrome | Brass or Fiber Optics  |
| Top Rib:                                         | Stock:           | Chamber:                         | Total Length:          |                         |                        |
| 7 MM - 8 MM Silver Welded                        | Walnut           | 76 MM / 3"                       | 103 CM (51 CM Barrel)  |                         |                        |





|                                                                    |                                                                            |                                  |                        |                                                   |                        |
|--------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------|------------------------|---------------------------------------------------|------------------------|
| <b>Caliber:</b>                                                    | <b>System:</b>                                                             | <b>Capacity:</b>                 | <b>Chokes:</b>         | <b>Weight:</b>                                    | <b>Receiver:</b>       |
| 12 GA / 20 GA                                                      | Pump Action                                                                | 4+1, 7+1                         | F*, M***, C*****       | 3,0 - 3,2 KG                                      | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                             | <b>Mechanism Parts:</b>                                                    | <b>Barrel Length:</b>            | <b>Barrel:</b>         | <b>Barrel Cover:</b>                              | <b>Fore Sight:</b>     |
| Aluminum Alloy / Flat Dark Earth (FDE) / Realtree MAX-5 Camouflage | AISI 4140 Steel                                                            | 51 CM ,61 CM,66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Flat Dark Earth (FDE) / Realtree MAX-5 Camouflage | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                                    | <b>Stock:</b>                                                              | <b>Chamber:</b>                  | <b>Total Length:</b>   |                                                   |                        |
| 7 MM - 8 MM Silver Welded                                          | Composite Plastic / Realtree Timber Camouflage / Realtree MAX-5 Camouflage | 76 MM / 3"                       | 103 CM (51 CM Barrel)  |                                                   |                        |





|                                                                     |                                                                            |                                  |                        |                                                    |                        |
|---------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------|------------------------|----------------------------------------------------|------------------------|
| <b>Caliber:</b>                                                     | <b>System:</b>                                                             | <b>Capacity:</b>                 | <b>Chokes:</b>         | <b>Weight:</b>                                     | <b>Receiver:</b>       |
| 12 GA / 20 GA                                                       | Pump Action                                                                | 4+1, 7+1                         | F*, M***, C*****       | 3,0 - 3,2 KG                                       | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                                              | <b>Mechanism Parts:</b>                                                    | <b>Barrel Length:</b>            | <b>Barrel:</b>         | <b>Barrel Cover:</b>                               | <b>Fore Sight:</b>     |
| Aluminum Alloy / Realtree Timber Camouflage / Flat Dark Earth (FDE) | AISI 4140 Steel                                                            | 51 CM ,61 CM,66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel | Realtree Timber Camouflage / Flat Dark Earth (FDE) | Brass or Fiber Optics  |
| <b>Top Rib:</b>                                                     | <b>Stock:</b>                                                              | <b>Chamber:</b>                  | <b>Total Length:</b>   |                                                    |                        |
| 7 MM - 8 MM Silver Welded                                           | Composite Plastic / Realtree Timber Camouflage / Realtree MAX-5 Camouflage | 76 MM / 3"                       | 103 CM (51 CM Barrel)  |                                                    |                        |



# VERTICAL MAGAZINE



 *Since 1996*  
**PASA ARMS**



VERTICAL MAGAZINE

# SPECTRE 01



|                                   |                  |                          |                                |                               |                                     |
|-----------------------------------|------------------|--------------------------|--------------------------------|-------------------------------|-------------------------------------|
| Caliber:                          | System:          | Capacity:                | Chokes:                        | Weight:                       | Receiver:                           |
| 12 GA                             | Gas System       | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG                  | 7075-T6 Aluminum Alloy              |
| Receiver Cover:                   | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:                 | Fore Sight:                         |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel  | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Matte and Glossy Black Chrome | Telescopic Hindsight and Fore Sight |
| Stock:                            | Chamber:         | Total Length:            |                                |                               |                                     |
| Composite Plastic                 | 76 MM / 3"       | 100 CM (51 CM Barrel)    |                                |                               |                                     |





|                                   |                  |                          |                                |                         |                                     |
|-----------------------------------|------------------|--------------------------|--------------------------------|-------------------------|-------------------------------------|
| Caliber:                          | System:          | Capacity:                | Chokes:                        | Weight:                 | Receiver:                           |
| 12 GA                             | Gas System       | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG            | 7075-T6 Aluminum Alloy              |
| Receiver Cover:                   | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:                         |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel  | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Telescopic Hindsight and Fore Sight |
| Stock:                            | Chamber:         | Total Length:            |                                |                         |                                     |
| Composite Plastic                 | 76 MM / 3"       | 100 CM (51 CM Barrel)    |                                |                         |                                     |





|                                   |                  |                          |                                |                         |                                        |
|-----------------------------------|------------------|--------------------------|--------------------------------|-------------------------|----------------------------------------|
| Caliber:                          | System:          | Capacity:                | Chokes:                        | Weight:                 | Receiver:                              |
| 12 GA                             | Gas System       | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG            | 7075-T6 Aluminum Alloy                 |
| Receiver Cover:                   | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:                            |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel  | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Telescopic Hindsight and<br>Fore Sight |
| Stock:                            | Chamber:         | Total Length:            |                                |                         |                                        |
| Composite Plastic                 | 76 MM / 3"       | 100 CM (51 CM Barrel)    |                                |                         |                                        |





|                                   |                  |                          |                                |                         |                                     |
|-----------------------------------|------------------|--------------------------|--------------------------------|-------------------------|-------------------------------------|
| Caliber:                          | System:          | Capacity:                | Chokes:                        | Weight:                 | Receiver:                           |
| 12 GA                             | Gas System       | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG            | 7075-T6 Aluminum Alloy              |
| Receiver Cover:                   | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:                         |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel  | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Telescopic Hindsight and Fore Sight |
| Stock:                            | Chamber:         | Total Length:            |                                |                         |                                     |
| Composite Plastic                 | 76 MM / 3"       | 100 CM (51 CM Barrel)    |                                |                         |                                     |





|                                   |                  |                          |                                |                         |                                        |
|-----------------------------------|------------------|--------------------------|--------------------------------|-------------------------|----------------------------------------|
| Caliber:                          | System:          | Capacity:                | Chokes:                        | Weight:                 | Receiver:                              |
| 12 GA                             | Gas System       | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG            | 7075-T6 Aluminum Alloy                 |
| Receiver Cover:                   | Mechanism Parts: | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:                            |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel  | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Telescopic Hindsight and<br>Fore Sight |
| Stock:                            | Chamber:         | Total Length:            |                                |                         |                                        |
| Composite Plastic                 | 76 MM / 3"       | 100 CM (51 CM Barrel)    |                                |                         |                                        |



# STRAIGHT PULL



*Since 1996*  
**PASA ARMS**



## STRAIGHT PULL



103 CM (51 CM Barrel)



STRAIGHT PULL  
SPECTRE SP-02



STRAIGHT PULL  
SPECTRE SP-03



|                                   |                      |                          |                                |                               |                                     |
|-----------------------------------|----------------------|--------------------------|--------------------------------|-------------------------------|-------------------------------------|
| Caliber:                          | System:              | Capacity:                | Chokes:                        | Weight:                       | Receiver:                           |
| 12 GA                             | Straight Pull System | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,7 - 3,9 KG                  | 7075-T6 Aluminum Alloy              |
| Receiver Cover:                   | Mechanism Parts:     | Barrel Length:           | Barrel:                        | Barrel Cover:                 | Fore Sight:                         |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel      | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Matte and Glossy Black Chrome | Telescopic Hindsight and Fore Sight |
| Stock:                            | Chamber:             | Total Length:            |                                |                               |                                     |
| Composite Plastic                 | 76 MM / 3"           | 103 CM (51 CM Barrel)    |                                |                               |                                     |



STRAIGHT PULL  
SPECTRE SP-04



|                                   |                      |                          |                                |                               |                                        |
|-----------------------------------|----------------------|--------------------------|--------------------------------|-------------------------------|----------------------------------------|
| Caliber:                          | System:              | Capacity:                | Chokes:                        | Weight:                       | Receiver:                              |
| 12 GA                             | Straight Pull System | 2+1, 5+1, 10+1           | F*,IM**,M***,IC****,<br>C***** | 3,7 - 3,9 KG                  | 7075-T6 Aluminum Alloy                 |
| Receiver Cover:                   | Mechanism Parts:     | Barrel Length:           | Barrel:                        | Barrel Cover:                 | Fore Sight:                            |
| Aluminum Alloy / Anodized Coating | AISI 4140 Steel      | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Matte and Glossy Black Chrome | Telescopic Hindsight and<br>Fore Sight |
| Stock:                            | Chamber:             | Total Length:            |                                |                               |                                        |
| Composite Plastic                 | 76 MM / 3"           | 103 CM (51 CM Barrel)    |                                |                               |                                        |



STRAIGHT PULL  
RENTIA W



|                                 |                      |                          |                                |                         |                        |
|---------------------------------|----------------------|--------------------------|--------------------------------|-------------------------|------------------------|
| Caliber:                        | System:              | Capacity:                | Chokes:                        | Weight:                 | Receiver:              |
| 12 GA                           | Straight Pull System | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG            | 7075-T6 Aluminum Alloy |
| Receiver Cover:                 | Mechanism Parts:     | Barrel Length:           | Barrel:                        | Barrel Cover:           | Fore Sight:            |
| Aluminum Alloy / Black Anodized | AISI 4140 Steel      | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Glossy and Matte Chrome | Brass or Fiber Optics  |
| Top Rib:                        | Stock:               | Chamber:                 | Total Length:                  |                         |                        |
| 7 MM - 8 MM Silver Welded       | Walnut               | 76 MM / 3"               | 121 CM ( 66 CM Barrel)         |                         |                        |



STRAIGHT PULL  
RENTIA S



STRAIGHT PULL  
RENTIA C



|                                                 |                      |                          |                                |                                        |                        |
|-------------------------------------------------|----------------------|--------------------------|--------------------------------|----------------------------------------|------------------------|
| Caliber:                                        | System:              | Capacity:                | Chokes:                        | Weight:                                | Receiver:              |
| 12 GA                                           | Straight Pull System | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,3 - 3,5 KG                           | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                 | Mechanism Parts:     | Barrel Length:           | Barrel:                        | Barrel Cover:                          | Fore Sight:            |
| Aluminum Alloy / Black Anodized /<br>Camouflage | AISI 4140 Steel      | 47 CM, 51 CM,61 CM,66 CM | AISI 4140 Carbon Steel         | Matte and Black Chrome /<br>Camouflage | Brass or Fiber Optics  |
| Top Rib:                                        | Stock:               | Chamber:                 | Total Length:                  |                                        |                        |
| 7 MM - 8 MM Silver Welded                       | Composite Plastic    | 76 MM / 3"               | 126 CM (71 CM Barrel)          |                                        |                        |





STRAIGHT PULL  
IMPULSE-S 02



|                                                  |                         |                          |                                |                              |                        |
|--------------------------------------------------|-------------------------|--------------------------|--------------------------------|------------------------------|------------------------|
| <b>Caliber:</b>                                  | <b>System:</b>          | <b>Capacity:</b>         | <b>Chokes:</b>                 | <b>Weight:</b>               | <b>Receiver:</b>       |
| 12 GA / 20 GA                                    | Straight Pull System    | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                 | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                           | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>    | <b>Barrel:</b>                 | <b>Barrel Cover:</b>         | <b>Fore Sight:</b>     |
| Aluminum Alloy / Black Chrome<br>and FDE Coating | AISI 4140 Steel         | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Black Chrome and FDE Coating | Brass or Fiber Optics  |
| <b>Sheet Metal Cooler:</b>                       | <b>Stock:</b>           | <b>Chamber:</b>          | <b>Total Length:</b>           |                              |                        |
| Along the barrel                                 | Composite Plastic       | 76 MM / 3"               | 106 CM (51 CM Barrel)          |                              |                        |



STRAIGHT PULL  
IMPULSE-S 03



STRAIGHT PULL  
IMPULSE-S 04



|                                                  |                      |                          |                                |                              |                        |
|--------------------------------------------------|----------------------|--------------------------|--------------------------------|------------------------------|------------------------|
| Caliber:                                         | System:              | Capacity:                | Chokes:                        | Weight:                      | Receiver:              |
| 12 GA / 20 GA                                    | Straight Pull System | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                 | 7075-T6 Aluminum Alloy |
| Receiver Cover:                                  | Mechanism Parts:     | Barrel Length:           | Barrel:                        | Barrel Cover:                | Fore Sight:            |
| Aluminum Alloy / Black Chrome<br>and FDE Coating | AISI 4140 Steel      | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Black Chrome and FDE Coating | Brass or Fiber Optics  |
| Sheet Metal Cooler:                              | Stock:               | Chamber:                 | Total Length:                  |                              |                        |
| Along the barrel                                 | Composite Plastic    | 76 MM / 3"               | 106 CM (51 CM Barrel)          |                              |                        |



STRAIGHT PULL  
IMPULSE-S 05



|                                                  |                         |                          |                                |                              |                        |
|--------------------------------------------------|-------------------------|--------------------------|--------------------------------|------------------------------|------------------------|
| <b>Caliber:</b>                                  | <b>System:</b>          | <b>Capacity:</b>         | <b>Chokes:</b>                 | <b>Weight:</b>               | <b>Receiver:</b>       |
| 12 GA / 20 GA                                    | Straight Pull System    | 2+1, 4+1, 7+1            | F*,IM**,M***,IC****,<br>C***** | 3,0 - 3,3 KG                 | 7075-T6 Aluminum Alloy |
| <b>Receiver Cover:</b>                           | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>    | <b>Barrel:</b>                 | <b>Barrel Cover:</b>         | <b>Fore Sight:</b>     |
| Aluminum Alloy / Black Chrome<br>and FDE Coating | AISI 4140 Steel         | 61 CM,66 CM,71 CM, 76 CM | AISI 4140 Carbon Steel         | Black Chrome and FDE Coating | Brass or Fiber Optics  |
| <b>Sheet Metal Cooler:</b>                       | <b>Stock:</b>           | <b>Chamber:</b>          | <b>Total Length:</b>           |                              |                        |
| Along the barrel                                 | Composite Plastic       | 76 MM / 3"               | 106 CM (51 CM Barrel)          |                              |                        |



**BULLPUP**



 *Since 1996*  
**PASA ARMS**





|                                          |                         |                       |                                   |                        |                                     |
|------------------------------------------|-------------------------|-----------------------|-----------------------------------|------------------------|-------------------------------------|
| <b>Caliber:</b>                          | <b>System:</b>          | <b>Capacity:</b>      | <b>Chokes:</b>                    | <b>Weight:</b>         | <b>Receiver:</b>                    |
| 12 GA                                    | Semi Auto Gas System    | 2+1, 5+1, 10+1        | Slug Barrel or (F*, M***, C*****) | 3,8-3,9 KG             | 7075-T6 Aluminum Alloy              |
| <b>Receiver Cover:</b>                   | <b>Mechanism Parts:</b> | <b>Barrel Length:</b> | <b>Barrel:</b>                    | <b>Barrel Cover:</b>   | <b>Fore Sight:</b>                  |
| Aluminum Alloy / Black Anodizing Coating | AISI 4140 Steel         | 47 CM, 51 CM, 61 CM   | AISI 4140 Carbon Steel            | Matte and Black Chrome | Adjustable Hindsight and Fore Sight |
| <b>Stock:</b>                            | <b>Chamber:</b>         | <b>Total Length:</b>  |                                   |                        |                                     |
| Composite Plastic                        | 76 MM / 3"              | 74 CM (47 CM Barrel)  |                                   |                        |                                     |





|                                          |                         |                       |                                   |                        |                                     |
|------------------------------------------|-------------------------|-----------------------|-----------------------------------|------------------------|-------------------------------------|
| <b>Caliber:</b>                          | <b>System:</b>          | <b>Capacity:</b>      | <b>Chokes:</b>                    | <b>Weight:</b>         | <b>Receiver:</b>                    |
| 12 GA                                    | Semi Auto Gas System    | 2+1, 5+1, 10+1        | Slug Barrel or (F*, M***, C*****) | 3,8-3,9 KG             | 7075-T6 Aluminum Alloy              |
| <b>Receiver Cover:</b>                   | <b>Mechanism Parts:</b> | <b>Barrel Length:</b> | <b>Barrel:</b>                    | <b>Barrel Cover:</b>   | <b>Fore Sight:</b>                  |
| Aluminum Alloy / Black Anodizing Coating | AISI 4140 Steel         | 47 CM, 51 CM, 61 CM   | AISI 4140 Carbon Steel            | Matte and Black Chrome | Adjustable Hindsight and Fore Sight |
| <b>Stock:</b>                            | <b>Chamber:</b>         | <b>Total Length:</b>  |                                   |                        |                                     |
| Composite Plastic                        | 76 MM / 3"              | 74 CM (47 CM Barrel)  |                                   |                        |                                     |



# OVER & UNDER



 *Since 1996*  
**PASA ARMS**





|                           |                         |                            |                                |                               |                       |
|---------------------------|-------------------------|----------------------------|--------------------------------|-------------------------------|-----------------------|
| <b>Caliber:</b>           | <b>System:</b>          | <b>Chamber:</b>            | <b>Chokes:</b>                 | <b>Weight:</b>                | <b>Receiver:</b>      |
| 12 GA / 20 GA             | Extractor               | 76 MM / 3"                 | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG                  | Solid Forged Steel    |
| <b>Receiver Cover:</b>    | <b>Mechanism Parts:</b> | <b>Barrel Length:</b>      | <b>Barrel:</b>                 | <b>Barrel Cover:</b>          | <b>Fore Sight:</b>    |
| White or Black Chrome     | AISI 4140 Steel         | 61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel         | Matte and Glossy Black Chrome | Brass or Fiber Optics |
| <b>Top Rib:</b>           | <b>Stock:</b>           | <b>Total Length:</b>       |                                |                               |                       |
| 7 MM - 8 MM Silver Welded | Walnut                  | 111 CM ( 66 CM Barrel )    |                                |                               |                       |





|                           |                  |                            |                                |                               |                       |
|---------------------------|------------------|----------------------------|--------------------------------|-------------------------------|-----------------------|
| Caliber:                  | System:          | Chamber:                   | Chokes:                        | Weight:                       | Receiver:             |
| 12 GA / 20 GA             | Ejector          | 76 MM / 3"                 | F*, IM**, M***, IC****, C***** | 3,0 - 3,3 KG                  | Solid Forged Steel    |
| Receiver Cover:           | Mechanism Parts: | Barrel Length:             | Barrel:                        | Barrel Cover:                 | Fore Sight:           |
| White or Black Chrome     | AISI 4140 Steel  | 61 CM, 66 CM, 71 CM, 76 CM | AISI 4140 Carbon Steel         | Matte and Glossy Black Chrome | Brass or Fiber Optics |
| Top Rib:                  | Stock:           | Total Length:              |                                |                               |                       |
| 7 MM - 8 MM Silver Welded | Walnut           | 111 CM ( 66 CM Barrel )    |                                |                               |                       |




# SINGLE BARREL





SINGLE BARREL  
SS12



|                       |                  |                                   |                        |                               |                       |
|-----------------------|------------------|-----------------------------------|------------------------|-------------------------------|-----------------------|
| Caliber:              | System:          | Chamber:                          | Stock:                 | Weight:                       | Receiver:             |
| 12 GA                 | Extractor        | 76 MM / 3"                        | Plastic and Walnut     | 2,2 - 2,5 KG                  | Solid Forged Steel    |
| Receiver Cover:       | Mechanism Parts: | Barrel Length:                    | Barrel:                | Barrel Cover:                 | Fore Sight:           |
| White or Black Chrome | AISI 4140 Steel  | 47 CM, 51 CM, 61 CM, 66 CM, 71 CM | AISI 4140 Carbon Steel | Matte and Glossy Black Chrome | Brass or Fiber Optics |
| Total Length:         |                  |                                   |                        |                               |                       |
| 92 CM (51 CM Barrel)  |                  |                                   |                        |                               |                       |





|                       |                  |                                      |                        |                               |                       |
|-----------------------|------------------|--------------------------------------|------------------------|-------------------------------|-----------------------|
| Caliber:              | System:          | Chamber:                             | Stock:                 | Weight:                       | Receiver:             |
| 20 GA / 36 (.410) GA  | Extractor        | 76 MM / 3"                           | Plastic and Walnut     | 2,2 - 2,5 KG                  | Solid Forged Steel    |
| Receiver Cover:       | Mechanism Parts: | Barrel Length:                       | Barrel:                | Barrel Cover:                 | Fore Sight:           |
| White or Black Chrome | AISI 4140 Steel  | 47 CM, 51 CM, 61 CM,<br>66 CM, 71 CM | AISI 4140 Carbon Steel | Matte and Glossy Black Chrome | Brass or Fiber Optics |
| Total Length:         |                  |                                      |                        |                               |                       |
| 92 CM (51 CM Barrel)  |                  |                                      |                        |                               |                       |



NOTES  
NOTES

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



www.pasaarms.com



## Contact Information

### Phone

Office: +90 (332) 512 1759  
Fax: +90 (332) 512 6579

### Address

Bayavşar Mah. 41959. Sk. No:15  
Organize San.Bölgesi  
Beşşehir/Konya/TURKEY

### E-Mail

export@pasaarms.com  
sales@pasaarms.com